

CLAIMS

1. A reactive modifier which is a hydrolyzable silicon group-containing acrylic polymer having a number average molecular weight of 5000 or more, obtained by copolymerizing (A) at least one monomer selected from the group consisting of a hydrolyzable silyl group-containing monomer and a monomer having a functional group capable of undergoing introduction of a hydrolyzable silyl group, (B) methyl methacrylate, (C) butyl acrylate and (D) an alkyl (meth)acrylate in which the alkyl chain has 7 to 9 carbon atoms, wherein:

the content of the component A is 0.01 to 10 parts by weight, the content of the component B is 5 to 95 parts by weight, the content of the component C is 5 to 95 parts by weight, the content of the component D is 5 to 95 parts by weight, the total content of the components A to D is 50 to 100 parts by weight and the weight ratio of the component C to the component D is 0.5 to 2.0.

2. The reactive modifier according to claim 1, in which (A) is a hydrolyzable silyl group-containing monomer.

3. The reactive modifier according to claim 1 or 2, which is a modifier for a hydrolyzable silyl group-containing oxyalkylene polymer.

4. A room temperature-curable resin composition which comprises, as indispensable components thereof, a hydrolyzable silyl group-containing oxyalkylene polymer, the

reactive modifier according to claim 3 and a curing accelerator.